

# 2016 International Conference on Information Technology Systems and Innovation (ICITSI)

## Proceedings

October 24 – 27, 2016  
Bandung - Bali, Indonesia

IEEE Conference Number # 38518

IEEE Catalog Number : CFP1690Y-ART

ISBN : 978-1-5090-2449-0



Jurusan Teknologi Informasi  
Universitas Udayana

Organizer:

- School of Electrical Engineering and Informatics – ITB
- Information Technology Research Group – ITB
- Information Networks and System Lab – ITB

Sponsored:



CS - Indonesian Joint Chapter  
CSI - RAS - Indonesian Joint Chapter  
ES - EDS / PES - SPS - Indonesian Joint Chapter

Proceedings of the

2016 International Conference on Information Technology Systems and Innovation (ICITSI)

Copyright ©2016 by the Institute of Electrical and Electronics Engineers, Inc. All rights reserved

Copyright and Reprint Permission:

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provide the pre-copy fee indicated in the code is paid through:

Copyright Clearance Center  
222 Rosewood Drive  
Danvers, MA 01923.

For reprint or republication permission write to:

IEEE Copyrights Manager  
IEEE Operations Center  
445 Hoes Lane  
P.O. Box 1331  
Piscataway, NJ 08855-1331

Or email: [pubs-permissions@ieee.org](mailto:pubs-permissions@ieee.org)

IEEE Catalog Number CFP1690Y-ART  
ISBN 978-1-5090-2449-0

Additional copies may be ordered from the IEEE Service Center:

IEEE Part Number: CFP1690Y-ART  
IEEE Service Center  
445 Hoes Lane  
P.O. Box 1331  
Piscataway, NJ 08855-1331 USA

Telephone (toll-free): 1-800-678-IEEE  
Telephone (direct): +1-732-981-0060  
Fax: +1-732-981-9667  
E-mail: [customer-service@ieee.org](mailto:customer-service@ieee.org)

## PREFACE

Welcome to the 3<sup>rd</sup> Proceeding of International Conference of Information Technology Systems and Innovation (ICITSI) 2016. The international conference was held in Bandung-Bali, 26-27 October 2016. ICITSI 2016 is hosted by School of Electrical Engineering and Informatics, Institut Teknologi Bandung, and sponsored by IEEE Joint Chapter of Education Society / Electron Devices Society / Power Electronics Society / Signal Processing Society (ES/EDS/PES/SPS), and Joint chapter of Control System Society / Robotics & Automation Society (CSS/RAS).

We invited world renowned academics for keynotes, namely Prof. Jemal H. Abawajy, PhD., DSc., SMIEEE (Director Distribute System and Security Research Cluster, Faculty of Science, Engineering and Build Environment, Deakin University) and Prof. Dr. Ir. Suhono H. Supangkat (KKTI, Institute of Technology Bandung).

We received **185** submissions for ICITSI 2016. After thorough reviews by reviewers, our Program Committee accepted **70** papers (acceptance rate: **37.84%**) for the conference. Afterwards, **62** from **70** accepted papers were officially registered for the conference noted by camera-ready submission for IEEEExplore publication and conference proceeding. Later, all authors with registered papers are enlisted to present the paper at the conference. We would like to thank all invited speakers, authors, reviewers, participants, committee members, and sponsors for their supports and contributions in this conference.

**Suhardi (ITB, Indonesia)**

General Chair of ICITSI 2016

## General Chair

Suhardi - Institute of Technology Bandung

## Steering Committee

- Suhono Harso Supangkat (Chair) – Institute of Technology Bandung
- I Ketut Gede Darma Putra – Udayana University
- Jaka Sembiring - Institute of Technology Bandung
- Robin Doss – Deakin University

## Organizing Committee

- Kusprasapta Mutijarsa (Chair) – Institute of Technology Bandung
- A. A. Kompiang Oka Sudana – Udayana University
- A. A. Kt. Agung Cahyawan Wiranatha – Udayana University
- Dessy Purnami Singgih Putri – Udayana University
- Dwi Putra Githa – Udayana University
- Gusti Made Arya Sasmita – Udayana University
- I Putu Agus Eka Pratama – Udayana University
- IGB. Baskara - Institute of Technology Bandung
- Kadek Suar Wibawa – Udayana University
- Made Sunia Atmaja – Udayana University
- Ni Kadek Dwi Rusjayanti – Udayana University
- Ni Putu Sutramiani – Udayana University
- Putu Arya Dharmadi – Udayana University
- Putu Wira Buana – Udayana University
- Samuel Andi Kristyan – Institute of Technology Bandung
- Yoanes Bandung – Institute of Technology Bandung
- Lukman Abdurrahman – Telkom University
- Purnomo Yustianto – Deakin university
- Novianto Budi Kurniawan – Institute of Technology Bandung

## Technical Program Committee

- Armein Z. R. Langi (chair) – Institute of Technology Bandung
- Adit Kurniawan – Institute of Technology Bandung
- Andrian Bayu – Institute of Technology Bandung
- Arry Akhmad Arman – Institute of Technology Bandung
- Ary P. Setijadi – Indonesia IEEE CS chair
- Bambang Riyanto Trilaksono – Institute of Technology Bandung
- Benhard Sitohang – Institute of Technology Bandung
- Budi P. Resosudarmo – Australian National University
- Dinh Phung – Deakin University, Australia
- Endra Joelianto – Institute of Technology Bandung
- I Ketut Adi Purnawan – Udayana University
- I Made Sukarsa – Udayana University
- I Nyoman Piarsa – Udayana University
- I Putu Agung Bayupati – Udayana University
- Iping Supriana – Institute of Technology Bandung
- Kangbin Yim – Soon Chung Yang University, South Korea

- Ni Kadek Ayu Wirdiani – Udayana University
- Ni Made Ika Marini Mandenni – Udayana University
- Pekik Argo Dahono – Institute of Technology Bandung
- Wahyu Catur Wibowo – University of Indonesia
- Wanlei Zhou – Deakin University, Australia
- Wiseto Agung – PT. Telkom Indonesia

## Publication Editor

- Suhardi
- Armein Z. R. Langi
- Yudi Satria Gondokaryono

## Authors Index

Achiruzaman, Mohamad

Adijarto, Waskita

Adiprawita, Widyawardana

Ahmad, A.S

Aini, F. R. Q

Albarda, Albarda

Andika, Aditya

Angela, Dina

Anwar, Hairil

Ardiyanto, Igi

Ariyani, N. F

Arymurthi, A. M

Asrofi, Muhammad

Aulia, M. N

Bandung, Yoanes

Bastian, M. R

Budi, Indra

Cahyadi, A. I

Cahyaningsih, Elin

Candra, Sevenpri

Choridah, Lina

Choridah, Lina

Dewi, M. A. A

Dhany, Tirta

Engel, V. J. L

Febriana, Trisna

Firman, Rachmat

Firmansyah, C. M

Fitriana, A. N

Fitriani, Widia

Ginardi, Hari

Hanafi, M. B  
Hanief, Shofwan  
Hapsari, I. C  
Hardi, Richki  
Hendriana, Yana  
Hermanoy, Erico  
Hidayanto, A. N  
Hidayat, Erzi  
Husin, Nanang  
Hutagalung, Maclaurin  
Indrastuti, Reni  
Indrayani, Rini  
Irawati, Ira  
Isdiyanto, Isdiyanto  
Jati, A. N  
Junaedi, Danang  
Kamila, A. R  
Karna, Nyoman  
Kistijantoro, A. I  
Kristianto, Edy  
Kurniawan, N. B  
Kurniawan, Roy  
Kusumasari, T. F  
Latifah, Retnany  
Marliani, R. S  
Mauliadi, Reza  
Mengko, Richard  
Mengko, T. L. R  
Munajat, Enjat  
Mursyidah, Mursyidah  
Mutijarsa, Kusprasapta  
Ni'mah, Iftitahu  
Noprisson, Handrie

Novarena, N. S  
Nugroho, H. A  
Nurrohmah, Isnaeni  
Nusantara, A. H. S  
Pardede, H. F  
Patola, I. E  
Pawitan, G. A. H  
Permanasari, A. E  
Pratama, I. P. A. E  
Pratama, Irfan  
Pujiyono, Wahyu  
Purwandari, Betty  
Purwarianti, Ayu  
Putra, E. D  
Putra, S. D  
Putro, B. L  
Rahaditya, A. G. J  
Rahayu, Puji  
Rakhman, R. D  
Rasdiana, Erna  
Razan, Atsari  
Riduan, Fitria  
Rimawati, Yeni  
Rochman, H. N  
Rosiyadi, Didi  
Rosmansyah, Yusep  
Rumaisa, Fitrah  
Sahar, Muzni  
Sandhyaduhita, P. I  
Saputra, W. A  
Saralita, Madis  
Sari, W. P  
Sasmita, I. G. M. A



Sastrosubroto, A. S  
Sembiring, Jaka  
Sensuse, D. I  
Setiana, Syerly  
Setiawan, A. B  
Shihab , M. R  
Silvia, Silvia  
Sirait, E. R. E  
Siswanto, Joko  
Solihadin, Oih  
Suakanto, Sinung  
Sucahyo, Y. G  
Suhardi, Suhardi  
Sukoyo, Sukoyo  
Sunandar, Dadang  
Sunarya, Unang  
Susanti, I. D  
Susilawati, Endah  
Sutikno, Sarwono  
Syamsudin ,Aries  
Thohari, A. H  
Tianur, Tianur  
Ula, Mutammimul  
Uluwiyah, Ana  
Ummah, Khairani  
Utama, D. Q  
Utami, Marissa  
Virdyananto, A. L  
Wahyunggoro, Oyas  
Wasitarini, D. E  
Wibowo, W. C  
Wijaya, Rifki  
Wulandari, Yuni

Yap, Marcel

Yulfitri, Alivia

Yuliani, A. R

Yuliant, Rika

Yustianto, Purnomo

Zaenudin, Efendi

Zilvan, Vicky

Zulkarnaim, Nuralamsah

## TABLE OF CONTENTS

- A-01 **Analysis of Cause and Effect Relationship Risk using Fishbone Diagram in SDLC SPASI v. 4.0. Business Process**  
*Azzahra Ratu Kamila and Sarwono Sutikno*
- A-02 **Information Extraction in Statistics Indicator Tables using Rule Generalizations and Ontology**  
*Muhammad Rio Bastian and Ayu Purwarianti*
- A-03 **A Case Study on Integration of Conventional Learning System and ICT-based Learning for Job Training System**  
*Oih Solihadin and Yoanes Bandung*
- A-04 **A Review of Missing Values Handling Methods on Time-Series Data**  
*Irfan Pratama, Adhistya Erna Permanasari, Igi Ardiyanto and Rini Indrayani*
- A-05 **Performance Evaluation of RAID Using Software-Based Accelerator in Virtualization Environment**  
*Erico Hermanoy, Marcel Yap and Edy Kristianto*
- A-06 **Designing an Enterprise Architecture Government Organization Based on TOGAF ADM and SONA**  
*Cipta Muhamad Firmansyah and Yoanes Bandung*
- A-07 **Performance Measurement Framework of E- Library using Modified Quantitative Models for Performance Measurement System (QMPMS) Method for ICT Infrastructure**  
*Dewi Endah Wasitarini and Jaka Sembiring*
- A-08 **Business Process Improvement of District Government Innovation Service Case Study Cimahi Tengah District of Cimahi**  
*Silvia Silvia, Suhardi Suhardi and Purnomo Yustianto*
- A-09 **Modeling IT Public Value for ICT Performance Measurement in Government Organization**  
*Ivadia Elmina Patola, Suhardi Suhardi and Novianto Budi Kurniawan*
- A-10 **m-Government Implementation Evaluation using A Mixed Method Approach**  
*Handrie Noprisson, Nanang Husin, Marissa Utami, Puji Rahayu, Yudho Giri Sucahyo and Dana Indra Sensuse*
- A-11 **Trusted Big Data for Official Statistics Study Case: Statistics Indonesia (BPS)**  
*Ana Uluwiyah*
- A-12 **Data Profiling for Data Quality Improvement with Openrefine**  
*Tien Fabrianti Kusumasari and Fitria Riduan*
- A-13 **Public Demand to Whitelisting: Another Alternative for More Secure Internet Access**  
*Emyana Ruth Eritha Sirait*
- A-14 **Copyright Protection for Color Images based on Transform Domain and Luminance Component**  
*Asri Rizki Yuliani and Didi Rosiyadi*
- A-15 **A Centralized Design of Information Network Architecture for Local Government**  
*Erna Rasdiana and Yoanes Bandung*
- A-16 **Design of Software as a Service (SaaS) for Regional Data Service Case Study: Statistics Indonesia**  
*Dadang Sunandar and Albarda Albarda*

- A-17 **Expert System for Early Diagnosis Of Meningitis Disease Using Certainty Factor Method**  
*Danang Junaedi and Fitriah Rumaisa*
- A-18 **Design of Digital Asset Management System for Broadcasting Organizations**  
*Tirta Dhany and Yoanes Bandung*
- A-19 **Review on e-Portofolio Definition, Model, Type and System**  
*Dana Sensuse, Betty Purwandari, Indra Budi, Puji Rahayu and Nuralamsah Zulkarnaim*
- A-20 **System Security Requirement Identification of Electronic Payment System for Angkot using NIST SP 800-160**  
*Khairani Ummah, Kusprasapta Mutijarsa, Waskita Adijarto*
- A-21 **Evaluation of Internet-Based Long Distance Education at Universitas Padjadjaran**  
*Ira Irawati and Enjat Munajat*
- A-22 **Modeling Operational Model Data Governance**  
*Alivia Yulfitri*
- A-23 **Requirement Engineering for Open Government Information Network Development to Support Digital Startup in Cimahi City Indonesia**  
*Ahmad Hamim Thohari and Suhardi Suhardi*
- A-24 **Process Capability Assessment of Information Security Management using ISO/IEC 33072:2016 (Case Study in Statistics Indonesia)**  
*Yeni Rimawati and Sarwono Sutikno*
- A-25 **Information Security Governance on National Cyber Physical Systems**  
*Ahmad Budi Setiawan, Aries Syamsudin, and Ashwin Sasongko Sastrosubroto*
- A-26 **Measuring E-Learning Readiness in Metrology Training Center Ministry of Trade of Indonesia**  
*Reni Sri Marliani and Yoanes Bandung*
- A-27 **Remote Control System as Serial Communications Mobile using a Microcontroller**  
*Yana Hendriana and Richki Hardi*
- A-28 **Knowledge Sharing Filtering on OAI-PMH**  
*Rika Yuliant and Nyoman Karna*
- A-29 **Factors Influencing Knowledge Sharing among Students in Indonesia Higher Educational Institutions**  
*Handrie Noprisson, Nuralamsah Zulkarnaim, Erzi Hidayat, Rachmat Firman, Erwin Dwika Putra, Elin Cahyaningsih and Dana Indra Sensuse*
- A-30 **Linking Spatial Information of Cultural Heritage Metadata with Geo Linked Open Data**  
*Nurul Fajrin Ariyani, M. Bakhtiar Hanafi, Hari Ginardi and Madis Saralita*
- A-31 **NUSANTARA: A New Design of Knowledge Management System in Indonesia**  
*Elin Cahyaningsih, Dana Indra Sensuse, Wahyu Catur Wibowo, Retnany Latifah and Wina Permana Sari*
- A-32 **Adaptive and Personalized Learning System as Workshop Complement**  
*Trisna Febriana and Roy Kurniawan*
- A-33 **Interactive Learning Media Based on RPP ICT**  
*Wahyu Pujiyono, Yana Hendriana and Istiqomah Dwi Susanti*
- A-34 **The Cycle of Knowledge in Government Human Capital Management**  
*Elin Cahyaningsih, Dana Indra Sensuse, Aniati Murni Arymurthi, Wahyu Catur Wibowo and Wina Permana Sari*

- A-35 **The Influence of Knowledge Management Tools Utilization Towards Knowledge Management Readiness**  
*Muhammad Rifki Shihab and Yuni Wulandari*
- A-36 **Applying Analytic Hierarchy Process for Measuring Knowledge Management Readiness in Government Institutions**  
*Rhesa Darojat Rakhman, Achmad Nizar Hidayanto, Ika Chandra Hapsari, Puspa Indahati Sandhyaduhita and Indra Budi*
- A-37 **Applying Usability Testing to Improving Scrum Methodology in develop Assistant Information System**  
*Dana Sensuse, Puji Rahayu, Widia Fitriani, Isnaeni Nurrohmah, Reza Mauliadi, and Hadiyan Nur Rochman*
- A-38 **Hardware Design of Automatic Arowana Raiser**  
*Abdul Hakim Satria Nusantara, Agung Nugroho Jati and Rifki Wijaya*
- A-39 **pSPEA2: Optimization Fitness and Distance Calculations for Improving Strength Pareto Evolutionary Algorithm 2 (SPEA2)**  
*Efendi Zaenudin and Achmad Imam Kistijantoro*
- A-40 **Early Diagnosis Expert System Deficiency Vitamins and Minerals in Human Life**  
*Mutammimul Ula, Richki Hardi, Mursyidah, and Yana Hendriana*
- A-41 **Prototyping SMS Forensic Tool Application Based On Digital Forensic Research Workshop 2001 (DFRWS) Investigation Model**  
*A.A. Gde Jordi Rahaditya, I Gusti Made Arya Sasmita and I Putu Agus Eka Pratama*
- A-42 **User Acceptance of Human Resource Information System: An Integration Model of Unified Theory of Acceptance and Use of Technology (UTAUT), Task Technology Fit (TTF), and Symbolic Adoption**  
*Aditya Lukas Virdyananto, Made Ayu Aristyana Dewi, Achmad Nizar Hidayanto and Shofwan Hanief*
- A-43 **Toward Development of Automated Plasmodium Detection for Malaria Diagnosis in Thin Blood Smear Image: an Overview**  
*Wahyu Andi Saputra, Hanung Adi Nugroho and Adhistya Erna Permanasari*
- A-44 **Improvement Of Production System Efficiency and Production Capacity Using Line Balancing Method**  
*Syerly Setiana, Sevenpri Candra and Aditya Andika*
- A-45 **Optimal Path Planning of a Mini USV using Sharp Cornering Algorithm**  
*Muhammad Asrofi, Adha Imam Cahyadi and Oyas Wahyunggoro*
- A-46 **A Framework for 3D Virtual Game Using MOODLE, SLOODLE and Open Simulator Case Study: Training of House Building Data Collecting by National Statistical Office (NSO), Government Agency, BPS - Statistics Indonesia**  
*Mohamad Achiruzaman and Yusep Rosmansyah*
- A-47 **Color-Based Segmentation and Feature Detection for Ball and Goal Post on Mobile Soccer Robot Game Field**  
*Alinda Nur Fitriana, Kusprasapta Mutijarsa and Widyawardana Adiprawita*
- A-48 **Sensor Networks Data Acquisition and Task Management for Decision Support of Smart Farming**  
*Sinung Suakanto, Ventje J. L. Engel, Maclaurin Hutagalung and Dina Angela*
- A-49 **On Real Time Q-Log-based Feature Normalization for Distant Speech Recognition**  
*Vicky Zilvan, Iftitahu Ni'Mah, Asri R. Yuliani and Hilman F. Pardede*
- A-50 **A Study of Monte Carlo Localization on Robot Operating System**  
*Fitria Romadhona Quratul Aini, Agung Nugroho Jati and Unang Sunarya*

- A-51 **Acceleration of Finite Element Method for 3D DC Resistivity Modeling Using Multi GPU**  
*Hairil Anwar and Achmad Imam Kistijantoro*
- A-52 **Automated Detection of Breast Cancer Lesions Using Adaptive Thresholding and Morphological Operation**  
*Hanung Adi Nugroho, Muzni Sahar, Tianur Tianur, Igi Ardiyanto and Lina Choridah*
- A-53 **Gamification Framework for Designing Online Training and Collaborative Working System in Statistics Indonesia**  
*Isdiyanto Isdiyanto and Yusep Rosmansyah*
- A-54 **Classification Breast Cancer Ultrasound Images based on Posterior Features**  
*Hanung Adi Nugroho, Tianur Tianur, Muzni Sahar, Igi Ardiyanto, Reni Indrastuti and Lina Choridah*
- A-55 **Three-wheeled Omnidirectional Robot Controller Implementation**  
*Gusti Arif Hanifah Pawitan, Kusprasapta Mutijarsa and Widyawardana Adiprawita*
- A-56 **Public Services Satisfaction based on Sentiment Analysis**  
*Endah Susilawati*
- A-57 **Color Blind Test Quantification using RGB Primary Color Cluster**  
*Dody Qori Utama, Tati Latifah R. Mengko, Richard Mengko and Masyithah Nur Aulia*
- A-58 **Validated ERP Modules Requirement for Micro, Small and Medium Enterprise Fashion Industry in Bandung**  
*Joko Siswanto and Anggi Maulida*
- A-59 **Identification of Business System Based on Business Process of Small Culinary Enterprises**  
*Joko Siswanto and Nadia Shafira Novarena*
- A-60 **Business System Requirement for Small Craft Companies**  
Joko Siswanto, Sukoyo and Atsari Razan
- A-61 **Power Analysis Attack on Implementation of DES**  
Septafiansyah Dwi Putra, Adang Suwandi Ahmad and Sarwono Sutikno
- A-62 **IT Value Model Driven by Information and Services: A Conceptual Model**  
*Suhardi, Novianto Budi Kurniawan, Budi Laksono Putro, Purnomo Yustianto*

# Remote Control System as Serial Communications Mobile using a Microcontroller

Yana Hendriana  
Departement of Informatics  
Universitas Ahmad Dahlan  
Yogyakarta, Indonesia  
yanahendriana@tif.uad.ac.id

Richki Hardi  
Department of Informatics  
Universitas Malikussaleh  
Aceh, Indonesia  
richkihardi@gmail.com

**Abstract**—Remote control technology has been developed by utilizing various transmission media. Some of them are remote control by the media using infrared, radio, internet and telephone line. Remote control system via the telephone line has an advantage in terms of distance range and practicality compared to other media. The presence of mobile phone or mobile phone that has been known and used by many people, who are able to communicate wherever they are, without being limited by space and range of cable lengths could be a solution for the needs of remote objects as described above. One of the most popular mobile phone function is to send and receive SMS. SMS is suitable for the control system of wireless real time because the speed of data delivery, efficiency and breadth of coverage, but the excess mobile phone with SMS facility of its still needs to be connected to a control device to be able to control on / off devices electric remotely.

**Keywords**—microcontroller, mobile, remote

## I. INTRODUCTION

At this time control on-off various electrical devices still mostly controlled manually by pressing the on-off switch. The development of lifestyle and social dynamics today demonstrates the growing importance of practicality and efficiency led to the need to control various electrical devices not only be done manually which requires us located in front of the electrical device and pressing the on-off switch to activate it but it can also be done remotely (remote control). Remote control technology has been developed by utilizing various transmission media. Some of them are remote control by the media using infrared, radio, internet and telephone line. Remote control system via the telephone line has an advantage in terms of distance range and practicality compared to other media.

The remote monitoring and control can be facilitated by graphical user interfaces. The information appliance can be a home lighting system, a home alarm system, a home entertainment system, a water gardening system, a home heating system, a home cooling system, and a television system having recording capabilities [1].

The presence of mobile phone that has been known and used by many people, who are able to communicate wherever they are, without being limited by space and range of cable lengths could be a solution for the needs of remote control as described above. One of the most popular mobile phone function is to send and receive SMS. SMS is suitable for the control system of wireless real time because the speed of data delivery, efficiency and breadth of coverage, but the excess mobile phone with SMS facility of its still needs to be connected to a control device to be able to control on-off devices electric remotely.

Today's wireless networks are characterized by a fixed spectrum assignment policy. However, a large portion of the assigned spectrum is used sporadically and geographical variations in the utilization of assigned spectrum ranges from 15% to 85% with a high variance in time. The limited available spectrum and the inefficiency in the spectrum usage necessitate a new communication paradigm to exploit the existing wireless spectrum opportunistically [2].

The methodology used in this project is prototyping model. Currently one of the control device that is practical and widely used is a microcontroller that is a chip that serves as an electronic control circuit and can store programs therein. The major advantage is availability microcontroller RAM and I/O support that has a very compact size and more flexibility to be connected and controlling the other devices.

In this research tool designed specifications are as follows:

1. Communication between a mobile phone with a microcontroller using a serial communication with standard RS232.
2. Using artificial micro controller Atmel is AT89S51.
3. Using AT-Command command to access the phone through the serial data port.
4. The remote control using a mobile phone via the GSM network operator.
5. Can control the on / off 8 electrical devices.

The aim of this study to design and realize the interface between the mobile phone with a microcontroller to perform remote control. And can be useful in understanding the

communication between a mobile phone with a microcontroller as a means of controlling the remote control.

Serial communication is serial data transmission that the data are sent one by one in sequence, there are two ways serial data communication, the data communication is synchronous and asynchronous data communication. In synchronous serial data communication, the clock is sent together with the serial data, while asynchronous serial data communication, the clock is not shipped with the serial data, but raised individually on either the sender (transmitter) and on the receiver side.

Communication between mobile phone with a microcontroller used in this research is a serial asynchronous full-duplex nature, meaning that the serial port can send and receive at the same time. based on the RS232 standard voltage level for the RS232. Mobile have different voltage levels to TTL or RS232 voltage levels, but for compatibility mobile phone to be connected to a PC for a variety of purposes so on each type of available phone data cable compatible with a standard RS232 interface for connection to a PC, a data port for SSL configuration type of phone used is the Siemens S45. For this reason we used a standard RS232 serial communication as the basis for an interface between a mobile phone with a microcontroller unit.

## II. LITERATURE REVIEW

The prototype was demonstrated successfully in multiple road and traffic scenarios by transmitting the traffic safety messages to the Bluetooth-enabled cell phone. The next step is to show effectiveness of this system in a realistic environment for which a workzone environment has been chosen to relay traffic safety messages to vehicles approaching the workzone [3].

The microcontroller that used to control the PLC modem and home appliances is PIC16F877. PIC is used to detect zero-crossings and 120 KHz X-10 carrier signal on the line. A MAX232 is used in the communication between microcontroller and computer. Power line carrier modem is used as a translator to make data communication on the electrical line as the electrical line is an analog environment while the microcontroller is digital environment [4].

A remote home security system offers many more benefits apart from keeping home owners, and their property, safe from intruders. The system is a low power consumption security alarm system developed by applying WSN and GSM technology. The system is composed of the microcontroller based wireless sensor network center node with GSM module, data collecting node, device control node and mobile phone. The wireless sensor network data collecting node module is connected with Pyroelectric Infrared Detector, Temperature Sensor, Smoke Detector and Gas Sensor separately [5].

The system is SMS based and uses wireless technology to revolutionize the standards of living. This system provides ideal solution to the problems faced by home owners in daily life. The system is wireless therefore more adaptable and cost-effective [6].

The HACS system provides security against intrusion as well as automates various home appliances using SMS. The system uses GSM technology thus providing ubiquitous access to the system for security and automated appliance control. Field conditions were site-specifically monitored by six in-field sensor stations distributed across the field based on a soil

property map, and periodically sampled and wirelessly transmitted to a base station. An irrigation machine was converted to be electronically controlled by a programming logic controller that updates georeferenced location of sprinklers from a differential Global Positioning System (GPS) and wirelessly communicates with a computer at the base station. Communication signals from the sensor network and irrigation controller to the base station were successfully interfaced using low-cost Bluetooth wireless radio communication. Graphic user interface-based software developed in this paper offered stable remote access to field conditions and real-time control and monitoring of the variable-rate irrigation controller [7].

The MSP430 microcontroller family offers ultra-low power mixed signal, 16-bit architecture that is perfect for wireless low-power industrial and portable medical applications. This book begins with an overview of embedded systems and microcontrollers followed by a comprehensive in-depth look at the MSP430. The coverage included a tour of the microcontroller's architecture and functionality along with a review of the development environment. Start using the MSP430 armed with a complete understanding of the microcontroller and what you need to get the microcontroller up and running [8].

The system is SMS based and uses wireless technology to revolutionize the standards of living. This system provides ideal solution to the problems faced by home owners in daily life. The system is wireless therefore more adaptable and cost-effective. The HACS system provides security against intrusion as well as automates various home appliances using SMS. The system uses GSM technology thus providing ubiquitous access to the system for security and automated appliance control [9].

A microcontroller is a microprocessor plus. A microcontroller is the brain of an electronic system such as a microprocessor as the brains of the computer. A plus for the microcontroller is the presence of memory and Port Input / Output in a compact IC packaging. This capability is programmable, comprehensive features (internal ADC, internal EEPROM, Port I / O, Serial Communications, etc.), and also an affordable price allows the microcontroller used in various systems electronically, such as robots, automation of industrial, alarm systems, telecommunications equipment, to household appliances [10].

## III. RESEARCH METHODS

The methodology used in this project is prototyping model [11]. The system utilizes a serial port connection on the mobile phone data connector found on every mobile phones for mobile data exchange with peripherals such as handsfree or update for the program, while the microcontroller acts as a processor, serial data received from the mobile phone. Communication between a mobile (cell phone) with microcontroller is a serial asynchronous nature of full-duplex, meaning that the serial port can send and receive at the same time, it is necessary for an interface to synchronize both devices (ie: mobile and mikrokontoler) in this case follow the RS232 standard as described in the previous chapter, so that both devices can communicate (exchange data). In accessing the mobile phone, the microcontroller sends the AT-Command command is a command that begins with AT+(like command>



(prompt) on DOS) which will be delivered by the micro via serial port to instruct the mobile phone in order to run applications such as reading and sending SMS. Having established communication, the tool will detect the presence or not the phone, after which the phone will continue in standby and wait for incoming SMS, incoming SMS to a mobile phone is detected, a command or not, if not then the SMS was removed automatically from phone memory, if the incoming SMS is an SMS command it was known to be encoded by a micro controller and then forwarded to the output of the tool. Then it can be described block diagram the working principle of the system as follows:




Fig. 1. work principle

At the beginning of the program conducted initialization serial communication, once their phones are detected, the tool will read the contents of the text message received on the location inbox 1 and organize protection of length to SMS, SMS eligible to be encoded, after coded tool, the command will be implemented in PORT 2 outputs on the microcontroller. To communicate with a mobile phone is used command AT-COMMAND. Then the main program flowchart can be described as follows:




Fig. 2. Program Flowchart

The purpose of testing to determine whether the micro is in good condition. With the equipment used circuit power supply, serial connection cable, computer programs, and DT-51 testboard Low Cost Micro System.

### Steps Testing

- 1) DT-51 Series of Low Cost Micro System and set your computer as illustrated.
- 2) The block diagram of a micro controller testing below:




Fig. 3. Micro testing

- 3) Turn circuit DT-51 Low Cost Micro System to provide the supply voltage DC 9V
- 4) Load testboard program into the microcontroller to program the microcontroller ISP Downloader Software.
- 5) Running testboard programs that exist in microcontroller.
- 6) Observing the test results.

### IV. RESULT AND DISCUSSION

For the test port of micro controller is done by inserting a short program on CD kit DT-51 to issue a square wave at all pin port 0, port 1, port 2, port 3 except port 3.0 and 3.1 ports that are used as serial communication lines. If communication goes well, the simulation program testboard.exe will appear a list of data sent and received (0 = 0, 1 = 1, 2 = 2, etc.) as well as appearing window shows "Success!" As shown in Figure 4. While the square wave can be seen through

Oscilloscope or connected with the LED so that it looks flame-extinction of the LED. Thus the micro in good condition. Then the simulation image testboard successful program can be seen below:




Fig. 4. Simulation program successful test board

Objective testing is to determine whether the serial strand with IC MAX232 work well to convert RS232 to TTL voltage levels. With Equipment Used namely power supply circuit, connecting cable, serial strand circuit with IC 232 and Mobile max.

#### a. Step-by-Step Testing

- Assembling circuit serial strand, mobile phones and set your computer as illustrated. The block diagram strand test series below:




Fig. 5. block testing

- Turn circuit serial strand to provide the supply voltage DC 9V
  - Typing the command AT + CMGW = 125 on hyperterminal program to send an SMS from your computer to the memory of the mobile phone inbox as shown in the image above
  - Observing the test results.
- b. Testing max232 is done by typing the command to fill an SMS to the phone memory is with the command "AT + CMGW = 125", this command is sent serially from computers to mobile phones, it turns out after running the program, in memory inbox handphone previously there has been a blank SMS typed. This proves that max232 IC has been functioning well to turn the mobile phone into a voltage level RS232 voltage levels so that the phone can communicate with a computer, as shown in Figure Command send SMS from PC to mobile phone below:




Fig. 6. Command to send SMS from PC

The purpose of this test is to determine whether the system has been assembled to work in accordance with the desired specifications. And Used Equipment consisting of: Power supply with 9V DC output voltage, circuit system that has been created, Two phones with SMS facility to the sender and receiver and RS232 data cable for Siemens S45 mobile phone.

a. Step-by-Step Testing

- Assembling such a system in the image of testing the entire system block diagram below:
- Turning on the system by providing a supply voltage of 9V DC.
- Sending an SMS command "XXXXXXXX" to the phone system where 'X' is the number 1 or 0.
- Observing the test results.

b. Test result

The first time the power supply is connected, the power LED on the instrument will light indicating that the power supply is connected to the appliance and mobile phones were left in standby mode, and then try to send an SMS containing "xxxxxxx" after the SMS is received by mobile tool, the output of the tool will be xxxxxxxx where x is a number 1 or 0 which means 1 is on, and 0 is off, evidenced by the lighting under the terms of the order as in the table below, then phone the sender will receive an SMS reply of tools that includes "Status: xxxxxxxx has been realized!" as shown in the table. Then the tool back on standby again in order to receive further orders, based on testing can be concluded that the appliance is able to function according to the desired specifications.

TABLE I. READING STATUS

Legible initial status LED								SMS	Read
1	2	3	4	5	6	7	8		
0	0	0	0	0	0	0	0	10000000	Completed
1	0	0	0	0	0	0	0	11000000	Completed
1	1	0	0	0	0	0	0	11100000	Completed
1	1	1	0	0	0	0	0	11110000	Completed
1	1	1	1	0	0	0	0	11111000	Completed
1	1	1	1	1	0	0	0	11111100	Completed
1	1	1	1	1	1	0	0	11111110	Completed
1	1	1	1	1	1	1	0	11111111	Completed
1	1	1	1	1	1	1	1	00000000	Completed

c. Analysis System

When we send an SMS containing the command to activate the first output 10000000, SMS content is actually command 7-bit encoding scheme, because if you type a letter or number on the phone keypad means that we have made 7 1/0 digits sequentially. While the micro-data to be processed is in the form of hex numbers PDU berskema 8 bits and hex numbers in the form of SMS commands: 10000000 is a C 6 83 31 18 C1 60, the conversion results of the test as shown in the table below.

TABLE II. 7-BIT ENCODING SCHEME

b4	b3	b2	b1	b7	b6	b5							
0	0	0	0	0	0	0	0	1	1	1	1	1	1
0	0	0	0	0	0	0	0	@	Δ	SP	0	-	P
0	0	0	1	1	1	1	1	!	!	1	A	Q	a
0	0	1	0	2	2	2	2	\$	Φ	"	2	B	R
0	0	1	1	3	3	3	3	Γ	#	3	C	S	c
0	1	0	0	4	4	4	4	^	#	4	D	T	d
0	1	0	1	5	5	5	5	Ω	%	5	E	U	e
0	1	1	0	6	6	6	6	Π	&	6	F	V	f
0	1	1	1	7	7	7	7	Ψ	'	7	G	W	g
1	0	0	0	8	8	8	8	Σ	(	8	H	X	h
1	0	0	1	9	9	9	9	θ	)	9	I	Y	i
1	0	1	0	10	10	10	10	LF	≡	*	:	J	Z
1	0	1	1	11	11	11	11			+	;	K	ā
1	1	0	0	12	12	12	12			,	<	L	ö
1	1	0	1	13	13	13	13	CR	-	=	M	m	
1	1	1	0	14	14	14	14	β	.	>	N	n	ü
1	1	1	1	15	15	15	15		/	?	O	o	

TABLE III. CONVERSION SMS COMMANDS TO FORM HEXA

SMS commands	Data received hexa on the micro input	Data scheme 7-bit conversion results at the output of the micro
10000000	31 18 0C 06 83 C1 60	10000000
11000000	B1 18 0C 06 83 C1 60	11000000
11100000	B1 58 0C 06 83 C1 60	11100000
11110000	B1 58 2C 06 83 C1 60	11110000
11111000	B1 58 2C 16 83 C1 60	11111000
11111100	B1 58 2C 16 8B C1 60	11111100
11111110	B1 58 2C 16 8B C5 60	11111110
11111111	B1 58 2C 16 8B C5 62	11111111

7 bits of data received will be converted to form micro hex 8 bit karenamikro scheme works on the number 8 bit encoding scheme, and then converted to ascii form and will be moved to the micro output port as the output tool. After the output is realized, micro sends a command to be mobile tool sends SMS reply containing status taken from the command data stored in RAM.

## V. CONCLUSION

Overall from design, realization and testing of the system, a number of conclusions from this research include:

- 1) Overall means of communication between the mobile phone with a micro series can work and function as expected so it can be used as a remote control device. This tool can perform control when there is an SMS in phone memory.
- 2) Mobile phone, which can be used only supports AT-Command.
- 3) The data cable cell phone use should be the original or who can communicate in full-duplex to transmit simultaneously receive data from and to the micro.
- 4) This tool can remotely control up to hundreds and even thousands km depending on the extent of the GSM network.
- 5) Sooner or later the arrival of SMS is very dependent on the state of the network from each service center.
- 6) Costs used for controlling reasonably priced.

## REFERENCES

- [1] Thomas, C. Douglass, Albert S. Penilla, and Joseph A. Nguyen. "Methods for remote monitoring and control of appliances over a computer network." U.S. Patent No. 8,073,921. 6 Dec. 2011.
- [2] Akyildiz, I. F., Lee, W. Y., Vuran, M. C., & Mohanty, S. (2006). NeXt generation/dynamic spectrum access/cognitive radio wireless networks: a survey. *Computer networks*, 50(13), 2127-2159.
- [3] Roodell, Beau, and M. Imran Hayee. "Development of a low-cost interface between cell phone and dsrc-based vehicle unit for efficient use of intelligidrivessm infrastructure." (2010).
- [4] Chew, K. C. (2011). Cell phone controlled home electrical appliances (home automation with power line carrier technology) (Doctoral dissertation, UTAR).
- [5] Tyagi, Nelofar, Ashish Joshi, and Sangya Singh. "A Comparative Approach to Remote Home Security System Based on Wireless System Network and GSM." *International Journal of Scientific & Engineering Research*. p.4 (2013).

- [6] Khiyal, Malik Sikandar Hayat, Aihab Khan, and Erum Shehzadi. "SMS based wireless home appliance control svstem (HACS) for automating appliances and securitv." *Issues in Informing Science and Information Technology* 6 (2009): 887-894.
- [7] Kim, Yunseop, Robert G. Evans, and William M. Iversen. "Remote sensing and control of an irrigation system using a distributed wireless sensor network." *IEEE Transactions on Instrumentation and Measurement* 57.7 (2008): 1379-1387.
- [8] Davies, John H. *MSP430 microcontroller basics*. Elsevier, 2008.
- [9] Davies, J. H. (2011). *Microcontroller Basics*.
- [10] Beio Agus "C & AVR Rahasia kemudahan bahasa C dalam Mikrokontroler ATmega8535." *Yogyakarta: Graha Ilmu* (2008).
- [11] Hendriana Y. Pranolo A. Sulaiman S. & Fong I. H. (2015 October). Generic shopping mall directory mobile application. In *2015 International Conference on Science in Information Technology (ICSITech)* (pp. 363-368). IEEE.

# ICITSI 2016

International Conference  
on Information Technology  
Systems and Innovation

Bandung, 24 - 27 October 2016

presented to

*Yana Hendriana*

*as an Author for the paper titled*

*“Remote Control System as Serial Communications  
Mobile using a Microcontroller”*



Jakarta Technology Informasii  
Universitas Udayana



Information Technology Systems And Innovation

Dr.-Ing. Ir. Suhardi, SH., MT., MM  
Program Chairman